

# LED Automated Lighting





## LED Automated Lighting

Our fixtures have pioneered the advancement of automated lighting technology for over thirty years. ETC's latest innovations offer something for every need, with punchy beams, framing shutters, saturated washes, and spectacular effects. Ready to take your light show to a new level? We've got the tools.



## Lonestar

**Lonestar** brings punchy output, a professional feature set, a compact footprint, and ETC quality, all at an affordable price. Built for those who want maximum performance from a mid-sized automated framing fixture, Lonestar is the most compact High End Systems framing fixture yet, without sacrificing any features or output.

- Full curtain framing shutters
- 15,400 lumen output
- CMY mixing, linear CTO plus fixed color wheel





## Halcyon

Created to meet the needs of rental operations, theatres, and opera houses, [Halcyon](#) Gold, Titanium, and Platinum are a family of framing fixtures designed for the exacting demands of lighting production. Offering reduced cost, reduced weight, and increased output, Halcyon fixtures are each best in class and engineered to fit into every spec for every design.

- Full curtain framing shutters
- Ultra-Bright and High Fidelity engine options
- Matching feature sets and performance across all fixtures





## Sola Silent

[SolaFrame Studio](#) and [SolaFrame Theatre](#) are fanless, convection-cooled automated luminaires that prioritize high quality features, spectral output, and above all silence. With efficient operation, full curtain framing shutters, exquisite projection control, and beautiful color rendering, these silent fixtures are designed for productions where ambient fixture noise levels are not acceptable.

- Silent operation
- Full curtain framing shutters
- High CRI engine



## SolaHyBeam 3000

With a feature set designed for beam control, aerial effects, and raw power, [SolaHyBeam 3000](#) features a large front aperture and optimized long throw optics for superior light output throughout the fixture's wide zoom range.

- Superior projection, wash, and beam capabilities
- 37,000 lumen output
- Ultra-Bright or High Fidelity Engine






## Cyberlight LED

[Cyberlight LED](#) brings the unique benefits of classic moving mirror technology into a modern design. Customers with existing mirror fixtures in the themed entertainment market and elsewhere can retrofit those products with Cyberlight LED for more energy-efficient operation and service.

- Bright white 470 W High Integrity color rendering engine produces 12,750 lumens
- Break resistant mirror produces fast pan and tilt movement
- CMY mixing, linear CTO plus fixed color wheel







## Relevé Spot

An automated fixture designed specifically for the theatre, [Relevé Spot](#) uses the calibrated ColorSource Deep Blue four-color additive mixing system and offers brighter reds, more vibrant greens, and deeper blues than most event-focused automated luminaires.

- Ani-gobo wheel
- Five-position rotating gobo wheel
- Iris, frost, and zoom





## SolaWash 1000

Featuring rich optical effects and beautiful colors from its bright white LED source, the High End Systems [SolaWash 1000](#) luminaire is an essential wash light fixture for simple and elegant lighting solutions.

- Ultra-Bright or High CRI engine
- Full framing shutter system
- Dual linear systems for medium and heavy frost







## SolaPix

**SolaPix** takes the traditional concept of a pixel wash and pushes it to its maximum potential, enveloping your production with beautiful, saturated color. With a plethora of looks to help set the mood and steal the show, SolaPix features an additive LED, RGBW color mixing system for extremely powerful colors and tunable white control, a versatile 4.5° - 60° zoom range, and pixel mapping on all models.

- FleX Effects Engine
- Halographic Pixel Definition
- Customizable macro control
- IP65 SolaPix 19 XT version available



## Effects

The perfect complement to the High End Systems automated fixture range, [TurboRay](#), [SolaPix](#) and [Talen](#) are engineered for the designer who craves stunning new looks. Each luminaire is designed to bring unique visuals not seen a thousand times before, giving a bold new twist on classic effects lighting and beyond.

- Additive LED engine
- 2800 K - 8000 K color temperature
- Perfect for use on camera as face lights





Engine	Lumens		Color Temp		CRI	Zoom	Color Mixing		Color Wheel	Rotating Gobos		Fixed Gobos	Framing	Iris	Animation	Frost	Prism	Weight Kg/lb	LED Wattage
	Ultra-Bright	High Fidelity	7000 K	70+			3.8°-55°	CMY/Electronic Linear CTO		10	9								
<a href="#">Lonestar</a>	Ultra-Bright	High Fidelity	15.4K	7000 K	70+	3.8°-55°	CMY/Electronic Linear CTO	10	9	-	Full curtain with 120° rotation	Yes	Rotating	Light + Medium, optional Heavy in prism slot	5-facet star + 4-facet linear rotating	22.7 kg/ 50 lb	290		
	Ultra-Bright	High Fidelity	31K	6500 K	70+	6°-57°	CMY/CTO	7	7	8	Full curtain with 180° rotation	Yes	Rotating with incline control and LED Animation	Trifusion	5-facet star + 4-facet linear rotating	28.1 kg/ 62 lb	430		
<a href="#">Halcyon Gold</a>	Ultra-Bright	High Fidelity	19K	6000 K	93+	6°-60°	CMY/CTO	6	7+7	-	Full curtain with 180° rotation	Yes	Rotating with incline control and LED Animation	Trifusion	5-facet star + 4-facet linear rotating	34.5 kg/ 76 lb	600		
	Ultra-Bright	High Fidelity	40K	6700 K	70+	6°-64°	CMY/CTO	6	7+7	-	Full curtain with 180° rotation	Yes	Rotating with incline control and LED Animation	Trifusion	5-facet star + 4-facet linear rotating	45 kg/ 99 lb	1200		
<a href="#">Halcyon Titanium</a>	Ultra-Bright	High Fidelity	24K	6000 K	93+	7°-42°	CMY/CTO	7	7	8	Full curtain with 90° rotation	Yes	Rotating and LED Animation	Light	Linear	50 kg/ 111 lb	440		
	Ultra-Bright	High Fidelity	54K	6500 K	70+	5.5°-57°	CMY/CTO	7	7	-	Full curtain with 90° rotation	Yes	Rotating and LED Animation	Light + Heavy	Linear	34 kg/ 75 lb	300		
	Ultra-Bright Boost	High Fidelity	71K	6500 K	70+	7°-55°	CMY/CTO	6	7	7	Full curtain with 90° rotation	Yes	Rotating and LED Animation	Light + Heavy	3-facet and 8-facet	47 kg/ 103 lb	1000		
<a href="#">Halcyon Platinum</a>	Ultra-Bright Boost	High Fidelity	38K	6000 K	93+	4.5°-50°	CMY/CTO	6	7	-	Full curtain with 90° rotation	Yes	LED Animation	Trifusion	3-facet, 8-facet, Linear	51 kg/ 112 lb	750		
	Ultra-Bright	High Fidelity	46K	6000 K	93+	10°-28.5°	CMY/CTO	7	7+7	-	-	Yes	-	Light + Heavy	4-facet rotating	37.6 kg/ 83 lb	470		
	Ultra-Bright	High Fidelity	6000 K	90+	10°-28.5°	CMY/CTO	7	7+7	-	-	-	Yes	-	Light + Heavy	4-facet rotating	37.6 kg/ 83 lb	470		
<a href="#">SolarFrame Theatre</a>	Fanless High CRI	High Fidelity	15K	6000 K	90+	7°-55°	CMY/CTO	6	7	7	Full curtain with 90° rotation	Yes	Rotating and LED Animation	Light	Linear	50 kg/ 111 lb	440		
	Fanless High CRI	High Fidelity	10K	5700 K	90+	5.5°-57°	CMY/CTO	7	7	-	Full curtain with 90° rotation	Yes	Rotating and LED Animation	Light + Heavy	Linear	34 kg/ 75 lb	300		
<a href="#">SolarFrame Studio</a>	Ultra-Bright	High Fidelity	37K	7000 K	70+	7°-55°	CMY/CTO	6	7	7	Full curtain with 90° rotation	Yes	Rotating and LED Animation	Light	3-facet	48 kg/ 106 lb	1000		
	Ultra-Bright	High Fidelity	25K	6000 K	95+	7°-55°	CMY/CTO	6	7	7	Full curtain with 90° rotation	Yes	Rotating and LED Animation	Light	3-facet	48 kg/ 106 lb	1000		
<a href="#">SolarSpot 3000</a>	Ultra-Bright	High Fidelity	37K	7000 K	70+	7°-55°	CMY/CTO	6	7+7	7	-	Yes	Graphical, textured Glass, and LED Animation	Light + Heavy	3-facet and 8-facet	47 kg/ 103 lb	1000		
	Ultra-Bright	High Fidelity	25K	6000 K	95+	4.5°-50°	CMY/CTO	6	7	-	Full curtain with 90° rotation	Yes	LED Animation	Trifusion	3-facet, 8-facet, Linear	51 kg/ 112 lb	750		
<a href="#">SolarHyBeam 3000</a>	Ultra-Bright	High Fidelity	37K	6700 K	70+	10°-28.5°	CMY/CTO	6	7	-	Full curtain with 90° rotation	Yes	LED Animation	Trifusion	3-facet, 8-facet, Linear	51 kg/ 112 lb	750		
	Ultra-Bright	High Fidelity	25K	5700 K	95+	10°-28.5°	CMY/CTO	6	7	-	Full curtain with 90° rotation	Yes	LED Animation	Trifusion	3-facet, 8-facet, Linear	51 kg/ 112 lb	750		
<a href="#">Cyberlight LED</a>	High CRI	High Fidelity	12,750	6000 K	90+	10°-28.5°	CMY/CTO	7	7+7	-	-	Yes	-	Light + Heavy	4-facet rotating	37.6 kg/ 83 lb	470		
	High CRI	High Fidelity	12,750	6000 K	90+	10°-28.5°	CMY/CTO	7	7+7	-	-	Yes	-	Light + Heavy	4-facet rotating	37.6 kg/ 83 lb	470		









**Corporate Headquarters** ■ Middleton, WI USA

**Global Offices** ■ London, UK ■ Rome, IT ■ Holzkirchen, DE ■ Paris, FR ■ Hong Kong  
Dubai, UAE ■ Singapore ■ New York, NY ■ Orlando, FL ■ Los Angeles, CA ■ Austin, TX

Copyright©2022 Electronic Theatre Controls, Inc. All Rights Reserved. All product information and specifications subject to change. Rev F 11/22  
Trademark and patent info: [etcconnect.com/IP](https://www.etcconnect.com/IP)

[etcconnect.com](https://www.etcconnect.com)