

The trusted value of OSRAM Digital Systems continues with Inventronics Global – where experience meets innovation.

FX-QMS-G1 -CLT-300

Optical surface slim profile 12x16 mm | lens cover | Accessories for Flexible LED strips



Product family features


- Can be easily combined with covers for homogeneous light distribution
- Clips for easy installation and maintenance
- Compatible with Linearlight Flex
- Ideal even for lighting in confined spaces
- Compatible with TEC Flex

Product family benefits

- Plenty of freedom for attractive design and perfect functioning
- Quick and easy installation
- Aluminum profile robust and corrosion-resistant thanks to anodization
- Minimum installation dimensions thanks to compact design

Technical data

Dimensions & weight



Length	3000 mm
Width	16.0 mm
Height	8.0 mm
Product weight	218.00 g

Logistical data

Commodity code	39169050900
----------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	15-08-2025
Primary Article Identifier	4052899447783 6937186148667
Declaration No. in SCIP database	In work
SCIP_STATUS	In work
SCIP_ID	

Download Data

File		
Product Datasheet	PDF	▶ Specification Sheet Slim Track FX-QMS-G1-TU16H12LS-300 (EN)
Product Datasheet	PDF	▶ Specification Sheet_Slim Track FX-QMS-G1-TU16H12-300 (EN)
CAD data 3-dim	Compressed	▶ FX-QMS-G1-CLT-300 3D CAD
CAD data	Compressed	▶ FX-QMS-G1-CLT-300 STEP

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height) mm	Volume	Gross weight
4052899447783 OSRAM	FX-QMS-G1 -CLT-300	Shipping carton box 40 Pieces	3020 x 100 x 100 mm	30.20 dm ³	245.00 g
6937186148667 INVENTRONICS	FX-QMS-G1 -CLT-300	Shipping carton box 40 Pieces	3020 x 100 x 100 mm	30.20 dm ³	245.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.