

PTZ Camera



Stoltzen Argos PTZ3 FaceTracking PTZ

HDMI, LAN, 12x, 72,5° FOV

Product number: PTZ3-12X-VL

Product Description

PTZ3 Full HD PTZ-kamera tilbyr avanserte funksjoner og overlegen ytelse. Funksjonene inkluderer avanserte ISP-behandlingsalgoritmer for å gi levende bilder med en sterk følelse av dybde, høy oppløsning og fantastisk fargegjengivelse. AutoTracking krever ingen driver-installasjon, kun aktivering.

Main Specifications

Brand	Stoltzen
Color	Black
Sensor	1/2.8 inch high quality HD CMOS sensor
Lens	2.07 megapixel
Type	PTZ
Optical Zoom	12x
PoE	V
Power	12V 1A
Accessories	Strømforsyning, RS232-kontrollkabel, fjernkontroll, brukerhåndbok
Video format	MJPEG, H.264, H.265, YUY2
Product series	Argos
Max Resolution	HDMI: 1920x1080@60 LAN: 1920x1080@29
Control ports	RS232 / RS485/RJ45/



Video Ports	HDMI, LAN
Viewing Angle (°)	72,5

Extended Specifications

Presets	10 via remote controller 128 via serial port
IP Protocol	RTSP, RTMP, ONVIF, GB/T28181, VISCA OVER IP, IP VISCA, RTMPS, SRT,
OSD	✓
Focus	Auto / Manual
2D/3D Noise Reduction	✓
Gamma control	✓
Focal Length (F=)	f3.9~46.8mm
S/N Rate	≥50dB
Minimum Lux	0.5Lux (F1.8, AGC ON)
Blender opening	Auto/Manual/Shutter priority/Aperture priority/Brightness priority
Electronic shutter	Auto/Manual/One Push
Whitebalance	Auto/Manual/Shutter priority/Aperture priority/Brightness priority
Black Light Compensation	✓
WDR	✓
Anti Flicker	50Hz/60Hz/OFF
Image flip	✓
Image mirror	✓
Camera control	Pan, Tilt, Zoom
Operating Humidity	20%~80%
Operating Temperature	-10~+50 degree
EAN	7072262009100
Resolutions HDMI	1080P60/50/30/25 1080I60/50, 720P60/50, 1080P59.94, 1080I59.94/29.97 720P59.94/29.97
Resolutions LAN	1920×1080P30, 1280×720P30, 1024×576P30, 960×540P30, 800×448P30, 720×480P30, 640×360P30, 640×480P30, 320×176P30
Rotation Angle	Pan: -170° ~ +170° Tilt: -30° ~ +90°
Rotation Speed	Pan: 0.1 -100°/sec Tilt: 0.1-45°/sec



Bitrate	1024Kbps~10240bps
Certifications	CE, REACH, RoHS

